




# NTN BEARING CORP.OF CANADA LTD.



## NJ2324EM NSK Tapered Roller Bearings Double-row

Bearing No. NJ2324EM

NJ2324EM Bearing 2D drawings and 3D CAD models

Size	120x260x86 mm
Bore Diameter	120 mm
Outer Diameter	260 mm
Width	86 mm
d	120 mm
Fw	154 mm
D	260 mm
B	86 mm
C	86 mm
r min.	3 mm
r1 min.	3 mm
da min.	133 mm
Da max.	247 mm
db max.	150 mm
db min	133 mm
ra max.	2,5 mm
rb max.	2,5 mm
S	2,8 mm
Db max	247 mm
Weight	25 Kg
Basic dynamic load rating (C)	795 kN
Basic static load rating (C0)	36,555 kN
(Grease) Lubrication Speed	2000 r/min
Category	Bearings
Inventory	0.0



## NTN BEARING CORP.OF CANADA LTD.

Manufacturer Name	NSK
Minimum Buy Quantity	N/A
Weight / Kilogram	24
Product Group	B04144
hidYobi	NJ2324EM
LangID	1
D_	260
Mach rpm	4300
B_	86
hidTable	ecat_NSCLDR
Oil rpm	2600
rb	2.5
mass	23.9
GRS rpm	2000
ra	2.5
db max	150
TSR rpm	2600
C0	1030
DE_	230
Prod_Type3	CRB_SR_NJ
da	133
DA_	38
Z_	13
D_a max	247
yobi	NJ2324EM
dd min	171
C_conv	795000
ALPHA_	0
SDM_	192
r	3
dc min	156
KBRG	4155



## NTN BEARING CORP.OF CANADA LTD.

SBRG	23
r1	3
DI_	154